

ITOKIN TECHNOLOGY CO., LTD



**MINI ROUTER**  
**CNC PLASSMA**

**FIBER LASER CUTTING CNC**  
**PNEUMATIC DOT MARKING CNC**

**FIBER LASER MARKING CNC**  
**MINI LASER CNC**

นำเข้า CNC  
ทุกประเภท

**ถูก! ที่สุดในไทย**

งานอลูมิเนียม

งานแกรนิต

งานเลเซอร์

งานโลหะ

งานโฟม

งานไม้



**082-1288881**  
**02-9744354-6**



**NC MACHINE**


[www.cnc-thaimachine.com](http://www.cnc-thaimachine.com)





บริษัท ไอโตคิน เทคโนโลยี จำกัด ผู้นำเข้าด้านเครื่อง CNC ทุกประเภท สำหรับงานไม้ งานพลาสติก งานหินอ่อน งานโฟม และด้านงานตัดเหล็ก ทั้งพลาสติกและเลเซอร์

บริษัท ไอโตคิน เทคโนโลยี จำกัด นำเข้าและจัดจำหน่าย พร้อมทั้งให้บริการงานด้านต่างๆ พร้อมอบรมการใช้งานและเป็นศูนย์บริการซ่อมเครื่อง CNC ทุกประเภท ด้วยทีมเซอร์วิสที่มีประสบการณ์ มากกว่า 10 ปี ราคายุติธรรม บริการดีเลิศ และรวดเร็วสนใจติดต่อ สอบถามหรือเยี่ยมชมสินค้า ได้ที่สำนักงานใหญ่กรุงเทพ หรือภาคตะวันออก



เครื่องแกะสลักไม้, โฟม, พลาสติก, อะคริลิก ขนาดเล็ก

## MINI CNC ROUTER

### MODEL : ARTA3020

#### SPECIFICATIONS

- Working area (X,Y,Z) : 200x300x60mm
- Machine size : 560x450x450mm
- Thickness : ≤60mm
- Table size : 445x240mm
- Structure : 6061 hard aluminum alloy
- Spindle : 240W water cooling spindle
- Motor : stepper
- Voltage : AC110/ 220V (50Hz)
- Spindle accuracy : radial run out ≤0.02mm
- Null speed : 4000mm/min
- Engraving speed : 50-3000mm/min
- Position accuracy : 0.03mm
- Code : G code (tap/ nc/ ncc/ txt file)
- Transmission : high accuracy ball screw
- Control system : Mach3/ KCAM

**PRICE 80,000 Baht**

### MODEL : ARTA3040

#### SPECIFICATIONS

- Working area (X,Y,Z) : 300x400x60mm
- Machine size : 660x570x450mm
- Thickness : ≤60mm
- Table size : 545x360mm
- Structure : 6061 hard aluminum alloy
- Spindle : 240W water cooling spindle
- Motor : stepper
- Voltage : AC110/ 220V (50Hz)
- Spindle accuracy : radial run out ≤0.02mm
- Null speed : 4000mm/min
- Engraving speed : 50-3000mm/min
- Position accuracy : 0.03mm
- Code : G code (tap/ nc/ ncc/ txt file)
- Transmission : high accuracy ball screw
- Control system : Mach3/ KCAM

**PRICE 85,000 Baht**

### MODEL : ARTA6040

#### SPECIFICATIONS

- Working area (X,Y,Z) : 400x600x80mm
- Machine size : 860x690x550mm
- Thickness : ≤80mm
- Table size : 745x480mm
- Structure : 6061 hard aluminum alloy
- Spindle : 240W water cooling spindle
- Motor : stepper
- Voltage : AC110/ 220V (50Hz)
- Spindle accuracy : radial run out ≤0.02mm
- Null speed : 4000mm/min
- Engraving speed : 50-3000mm/min
- Position accuracy : 0.03mm
- Code : G code (tap/ nc/ ncc/ txt file)
- Transmission : high accuracy ball screw
- Control system : Mach3/ KCAM

**PRICE 95,000 Baht**



**OPTIONAL**



**800W**

Mini CNC Router with spindle  
for hard materials

สำหรับผู้ที่ต้องการใช้กับงานที่เป็นวัสดุแข็ง  
เช่น อลูมิเนียม, ทองเหลืองทองแดง เป็นต้น  
ใช้ได้กับ Mini CNC Router ทุกรุ่น

**PRICE 18,500 Baht**

# เครื่องแกะสลักไม้, กัดลายไม้, จุลลายไม้, ป้ายโฆษณา

## CNC ROUTER MACHINE

### MODEL : ART1325T

#### SPECIFICATIONS

- Working size : 1300x2500mm
- Welded steel tube body
- Cast aluminum gantry
- 3KW water cooling spindle
- Leadshine 860H
- Fuling inverter
- T-slot table
- NC-studio controller
- Inner cabinet

**PRICE 285,000 Baht**




หรือ DSP Control

### MODEL : ART1325V

#### SPECIFICATIONS

- Working size : 1300x2500mm
- Welded steel tube body
- Iron gantry
- 3KW water cooling spindle
- Leadshine 860H
- Fuling inverter 5.5KW
- Vacuum and T-slot table
- NC-studio controller
- 5.5KW vacuum pump
- Separated big cabinet

**PRICE 330,000 Baht**



หรือ DSP Control

### MODEL : IGW1530

#### SPECIFICATIONS

- Working size : 1500x3000mm
- Thick wall stainless steel tube body
- Iron gantry
- 4.5KW air cooling
- Leadshine 860H
- Fuling inverter 5.5KW
- Vacuum and T-slot table
- NC-studio controller
- 5.5KW vacuum pump
- Separated big cabinet

**PRICE 380,000 Baht**



หรือ DSP Control

### MODEL : IGW2030

#### SPECIFICATIONS

- Working size : 2000x3000mm
- Thick stainless steel tube body
- Iron gantry
- 4.5KW air cooling spindle
- Leadshine 860H
- Fuling inverter 5.5KW
- Vacuum and T-slot table
- NC-studio controller
- 5.5KW vacuum pump
- Separated big cabinet

**PRICE 450,000 Baht**



หรือ DSP Control

# เครื่องแกะสลักไม้, วัสดุ, ป้ายโฆษณา

## MODEL : ART3636A

### SPECIFICATIONS

- Working size : 360x360x80mm  
400x400x80mm
- Cast steel body
- Cast steel gantry
- Aluminum T-slot table
- Ball screw transmission
- 20 round rail
- NC-studio system
- Stepper motors
- 1.5KW fuling inverter
- CW250 driver
- 1.5KW water coolant spindle
- Inner mini cabinet

**PRICE 180,000 Baht**




หรือ DSP Control

## MODEL : ART6090GV

### SPECIFICATIONS

- Working area : 600x900mm
- Cast steel body
- Cast aluminum gantry
- 2.2 water cooling spindle
- Leadshine driver and stepper motors
- Fuling 2.2KW inverter
- X-Y-Z 20 square rail
- X-Y gear rack
- Z axis 16 ball screw
- NC-studio controller
- Inner control cabinet
- T slot table
- Rotary

**PRICE 210,000 Baht**



หรือ DSP Control

## ADVERTISING CNC ROUTER MACHINE

## MODEL : ART6090B

### SPECIFICATIONS

- Working area : 600x900mm
- Cast steel body
- Cast aluminum gantry
- 1.5 water cooling spindle
- Leadshine driver and stepper motors
- Fuling 1.5KW inverter
- XYZ 20 square rail
- XY 25 ball screw
- Z axis 16 ball screw
- NC-studio controller
- Inner control cabinet
- T slot table

**PRICE 180,000 Baht**



หรือ DSP Control

## MODEL : ART1212A

### SPECIFICATIONS

- Working area : 1200x1200mm
- Cast steel body
- Cast aluminum gantry
- T-slot table
- 1.5 water cooling spindle
- Leadshine driver and stepper motors
- Fuling 1.5KW inverter
- XYZ 20 round rail
- XY 25 ball screw
- Z axis 16 ball screw
- NC-studio controller
- Inner control cabinet

**PRICE 240,000 Baht**



หรือ DSP Control

Example :



# เครื่องตัดและแกะสลักโฟม

## CNC FOAM ROUTER MACHINE

### MODEL : ART9015FH


#### SPECIFICATIONS

- Working size : 900x1500x800mm
- NC-studio/ DSP controller
- 4.5KW water cooling spindle
- Delta inverter
- Yako driver
- Servo motors
- Hiwin square guide way
- T-slot and sink table

**PRICE 550,000 Baht**



### MODEL : ART2040FH



#### SPECIFICATIONS

- Working size : 2000x4000x800mm
- NC-studio/ Dsp controller
- 6KW water cooling spindle
- Delta inverter
- Yako driver
- Panasonic servo motors
- Hiwin square guide way
- T-slot and sink table

**PRICE 850,000 Baht**

#### Example :



### MODEL : ART2040F

#### SPECIFICATIONS

- Working size : 1300x2500x600mm
- NC-studio
- 6KW water cooling spindle
- Fuling inverter
- Leadshine driver
- Servo motors
- Hiwin square guide way
- T-slot and sink table

**PRICE 590,000 Baht**



# เครื่องแกะสลักหิน, แกะลายหิน

## CNC HEAD ROUTER MACHINE

### MODEL : ART9015SL

#### SPECIFICATIONS

- Working area : 900x1500x150mm
- Welding steel tube body structure
- Iron gantry
- Leadshine 860H
- Fuling inverter 3.7KW
- Hiwin square guide way
- T-slot with water tank
- Inner control cabinet
- XYZ dust proof
- Oil lubrication
- NC-studio control system

**PRICE 290,000 Baht**

Light stone  
CNC router



หรือ DSP Control

### MODEL : ART1325SL

#### SPECIFICATIONS

- Working area : 1300x2500x200mm
- Welding steel tube body structure
- Iron gantry
- Leadshine 860H
- Fuling inverter 3.7KW
- 3.0KW water cooling
- Hiwin square rail
- T-slot with water tank
- Inner control cabinet
- XYZ dust proof
- Oil lubrication
- NC-studio control system

**PRICE 340,000 Baht**

Light stone  
CNC router



หรือ DSP Control


### MODEL : ART1325SD

#### SPECIFICATIONS

- Working area : 1300x2500x300mm
- Welding steel T type body
- Iron gantry
- Leadshine 860H
- Fuling inverter 5.5KW
- 4.5KW water cooling
- Hiwin square rail
- Steel water tank
- Separated control cabinet
- Feed roller
- XYZ dust proof
- Oil lubrication
- NC-studio control system
- Rotary

**PRICE 490,000 Baht**

Heavy stone  
CNC router



หรือ DSP Control

### MODEL : ART1325S

#### SPECIFICATIONS

- Working area : 1300x2500x300mm
- Welding steel T type body
- Iron gantry
- Leadshine 860H
- Fuling inverter 5.5KW
- 4.5KW water cooling
- Hiwin square rail
- Steel water tank
- Separated control cabinet
- Feed roller
- XYZ dust proof
- Oil lubrication
- NC-studio control system

**PRICE 450,000 Baht**

Heavy stone  
CNC router



หรือ DSP Control

# เครื่องแกะสลัก 3 แกน และ 4 แกน


## ROTARY ROUTER MACHINE

### MODEL : ART1325TR

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A11
- 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 400mm diameter
- 2000mm long

**PRICE 450,000 Baht**




### MODEL : ART1325TR

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A18
- 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 400mm diameter
- 2000mm long

**PRICE 480,000 Baht**




### MODEL : ART1325TRB

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A11
- 3KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 200mm diameter
- 1000mm long

**PRICE 350,000 Baht**



### MODEL : ART1325TRB

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A18
- 3KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 200mm diameter
- 1000mm long

**PRICE 390,000 Baht**



# เครื่องแกะสลัก 3 แกน และ 4 แกน

## ROTARY ROUTER MACHINE

### MODEL : ARTI325TRC

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A11
- 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 100mm diameter
- 1000mm long

**PRICE 330,000 Baht**



3 Axis

### MODEL : ARTI325TRC

#### SPECIFICATIONS

- Working size : 1300x2500x200mm
- DSP A18
- 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 100mm diameter
- 1000mm long

**PRICE 380,000 Baht**




4 Axis

### MODEL : ARTI325TRC

#### SPECIFICATIONS

- DSP A18 OR NC-studio, NC75A
- 2.2KW water cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Rotary 100mm diameter
- 1000mm long
- 6 spindles and 6 rotaries

**PRICE 950,000 Baht**



4 Axis

Example :



## Multiheads แบบหลายหัว


### CNC HEAD ROUTER MACHINE

MODEL : ART6090AD

#### SPECIFICATIONS

- Working size : 600x900x200mm
- NC-studio/ DSP controller
- 2.2KW water cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot and sink table
- Two spindles
- Two rotarys

**PRICE 270,000 Baht**



Two heads



Six heads

MODEL : ART1325M6

#### SPECIFICATIONS


- Working size : 1300x2500x200mm
- NC-studio 53c
- Six 2.2KW water cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- T-slot table
- Pneumatic system

**PRICE 450,000 Baht**

## OPTIONAL FOR CNC ROUTER



NC STUDIO



VACUUM TABLE



DUST HOOD



DSP CONTROL



MULTIHEADS

# เครื่องตัดและแกะสลัก แบบเปลี่ยนหัวอัตโนมัติ Auto Tools Changer

## PNEUMATIC ATC ROUTER MACHINE

MODEL : ART1325PM

### SPECIFICATIONS

- Working size : 1300x2500x200mm
- NC-studio 53c
- Two 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- Vacuum and T-slot table
- Pneumatic system

**PRICE 470,000 Baht**



MODEL : ART1325PM

### SPECIFICATIONS

- Working size : 1300x2500x200mm
- NC-studio 53c
- Three 3.5KW air cooling spindle
- Fuling inverter
- Leadshine driver
- Stepper motors
- Hiwin square guide way
- Vacuum and T-slot table
- Pneumatic system

**PRICE 520,000 Baht**




MODEL : ART1325ATN

### SPECIFICATIONS

- Working size : 1300x2500x600mm
- CE standard
- Chinese 9KW HQD air cooling spindle
- X,Y axis gear transmission
- Z axis ball screw transmission
- Iron gantry
- Taiwan Hiwin rails
- Vacuum and T-slot table
- NC-studio control system
- Servo motor and drivers
- Fuling inverter 11KW
- Filter, auto tool changer dsic type
- 8 sets tools
- Dust collector

**PRICE 980,000 Baht**



# เครื่องตัดพลาสมา

## MODEL : ARTI325C

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 40A huayuan power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 350,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 6mm
- Stainless steel : 3mm



## MODEL : ARTI325C

### SPECIFICATIONS

- Working Area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 60A huayuan power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 370,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 10mm
- Stainless steel : 5mm

## PLASSMA CUTTING MACHINE



## MODEL : ARTI325C

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 100A huayuan power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 390,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 12mm
- Stainless steel : 6mm



## MODEL : ARTI325C

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 160A huayuan power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 470,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 19mm
- Stainless steel : 10mm



# เครื่องตัดพลาสมา

## PLASSMA CUTTING MACHINE

### MODEL : ARTI325C

#### SPECIFICATIONS

- Working Area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 200A huayuan power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 490,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 25mm
- Stainless steel : 15mm



Huayuan 200A (↻)

### MODEL : ARTI040CR

#### SPECIFICATIONS

- Working area : Length 1000mm
- Diameter 400mm
- Ball screw
- Square guide rail
- Start controller system
- 200A huayuan power supply
- Leadshine drivers and stepper motors

**PRICE 790,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 25mm
- Stainless steel : 15mm



Huayuan 200A (↻)

### MODEL : ARTI080CR

#### SPECIFICATIONS

- Working area : Length 1000mm
- Diameter 800mm
- Ball screw
- Square guide rail
- Start controller system
- 200A huayuan power supply
- Yaskawa servo motors

**PRICE 2,900,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 32mm
- Stainless steel : 16mm

3 axis and 2 linkage intersection



Huayuan 200A (↻)

### MODEL : ARTI520 Flame

#### SPECIFICATIONS

- Cutting area : 1500x2500mm
- Machine size : 2000x3000mm
- Line accuracy : more or less : 0.5mm
- Move accuracy : 0.003125mm
- Step work power : AC220V ±15% 50Hz
- Support software : type3/ Artcut6/ Caxa/ AutoCAD/ ArtCAM InterGNPS etc
- Transfers system : USB/ SD/ RS232
- Cutting gas : Acetylene, propane, methane,
- Slotting compensation : automatic or Presets
- The size of screen : 5.6 inch

**PRICE 790,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 125mm



# เครื่องตัดพลาสมา Hypertherm USA

## MODEL : ART1325H

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 45A Hypertherm power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 450,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 6mm
- Stainless steel : 3mm



Hypertherm  
USA 45A



## MODEL : ART1325H

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 65A Hypertherm power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 490,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 10mm
- Stainless steel : 5mm



Hypertherm  
USA 65A



## MODEL : ART1325H

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 85A Hypertherm power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 520,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 12mm
- Stainless steel : 6mm



Hypertherm  
USA 85A



## MODEL : ART1325H

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 100A Hypertherm power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 620,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 19mm
- Stainless steel : 10mm



Hypertherm  
USA 100A



## PLASMA CUTTING MACHINE

## เครื่องตัดพลาสมา Hypertherm USA

### SPECIFICATIONS

- Working area : 1300x2500mm
- Gear rack
- Round guide rail
- DSP controller system with THC
- 45A Hypertherm power supply
- Leadshine drivers and stepper motors
- USB interface

**PRICE 1,350,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 32mm
- Stainless steel : 16mm

## PLASMA CUTTING MACHINE

**MODEL : ART1325H**



Hypertherm  
USA 200A

# เครื่องตัดเหล็ก, สแตนเลส, โลหะ ด้วยไฟเบอร์เลเซอร์

## ART FIBER LASER CUTTING MACHINE



### MODEL : ART6060LF-300

#### SPECIFICATIONS

- Working size : 600x600mm
- Ball screw transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 300W fiber laser Recus 1800KGS

**PRICE 2,200,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-2mm
- Stainless steel : 0.1-3mm

### MODEL : ART6060LFB-300



#### SPECIFICATIONS

- Working size : 600x600mm
- Ball screw transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 300W fiber laser Recus 3000KGS

**PRICE 2,350,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-2mm - Stainless steel : 0.1-3mm

### MODEL : ART6060LFB-500



#### SPECIFICATIONS


- Working size : 600x600mm
- Ball screw transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 500W fiber laser Recus 3 Tons

**PRICE 2,350,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-3mm - Stainless steel : 0.1-6mm

### MODEL : ART1325LFB-300



#### SPECIFICATIONS

- Working size : 1300x2500mm
- Gear rack transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 300W fiber laser Recus 4 Tons

**PRICE 2,750,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-3mm - Stainless steel : 0.1-3mm

### MODEL : ART1325LFB-500



#### SPECIFICATIONS


- Working size : 1300x2500mm
- Gear rack transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 500W fiber laser Chinese Recus, 4.5 Tons

**PRICE 2,900,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-3mm - Stainless steel : 0.1-6mm

### MODEL : ART1325LFB-1000



#### SPECIFICATIONS

- Working size : 1300x2500mm
- Gear rack transmission
- Bochuu control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- 1000W fiber laser Recus 4.5 Tons

**PRICE 7,500,000 Baht**

\*สามารถตัดชิ้นงานได้ ดังนี้

- Carbon steel : 0.1-6mm
- Stainless steel : 0.1-12mm

Example :



เครื่องตัดเหล็ก, สแตนเลส, โลหะ ด้วยไฟเบอร์เลเซอร์


**MODEL : ART1325LFI-500**

**SPECIFICATIONS**

- Working size : 1300x2500mm
- Gear rack transmission
- Bochua control system
- Yaskawa servo motor
- USA laser mech brand auto focus head
- Robot 6 axis system

**PRICE 15,900,000 Baht**

**6 AXIS FIBER LASER  
CUTTING MACHINE**



\*Included software



# CO2 เลเซอร์ตัดอะคริลิก, พลาสติก, กระดาษ, ผ้า, ไม้ และอื่นๆ

## MODEL : ART2020L




### SPECIFICATIONS

- Working size : 200x220mm
- Belt transmission
- Moshi control system
- Stepper motor
- 40W CO2 laser
- Exhaust fan

**PRICE 75,000 Baht**

## MODEL : ART3040L



### SPECIFICATIONS

- Working size : 300x400mm
- Belt transmission
- Moshi control system
- Stepper motor
- 40W CO2 laser
- Exhaust fan

**PRICE 80,000 Baht**

## MODEL : ART6040LA



### SPECIFICATIONS

- Working size : 600x400mm
- Belt transmission
- Moshi control system
- Stepper motor
- 40W CO2 laser
- Exhaust fan
- Up down device
- Honeycomb table

**PRICE 90,000 Baht**

## MINI LASER CUTTING MACHINE

### MODEL : ART6040LB



### SPECIFICATIONS

- Working size : 600x400mm
- Belt transmission
- Topwisdom control system
- Stepper motor
- 40W CO2 laser
- Exhaust fan
- Up down device
- Honeycomb table

**PRICE 90,000 Baht**

## MODEL : ART6090L



### SPECIFICATIONS

- Working size : 600x900mm
- Belt transmission
- Topwisdom control system
- Stepper motor
- 60W/80W CO2 laser
- Honeycomb table

**PRICE 180,000 Baht**

## MODEL : ART1610L



### SPECIFICATIONS

- Working size : 1600x1000mm
- Belt transmission
- Topwisdom control system
- Stepper motor
- 80W CO2 laser
- Honeycomb table

**PRICE 280,000 Baht**

## MODEL : ART1325L



### SPECIFICATIONS

- Working size : 1300x2500mm
- Belt transmission
- Topwisdom control system
- Stepper motor
- 100W CO2 laser
- Blade table
- Water chiller 5000

**PRICE 390,000 Baht**

## MODEL : ART1325L

ตัดเหล็ก  
สแตนเลส  
CO2 metal  
and nonmetal cutting



### SPECIFICATIONS

- Working size : 1300x2500mm
- Stainless sheet and knife table
- RECI laser tube 150W
- Taiwan PMI liner square rails
- Stepper motor, ball screw or belt transmission
- Water chiller 5200

**PRICE 650,000 Baht**

เครื่องมาร์ก,แกะสลักตัวอักษร, ยิงอักษร, ยิงสัญลักษณ์ลงบนชิ้นงานด้วยไฟเบอร์เลเซอร์

## ART FIBER LASER MARKING MACHINE

**MODEL : ART-F10A (10W)**

**PRICE 330,000 Baht**

**MODEL : ART-F20A (20W)**

**PRICE 350,000 Baht**

**MODEL : ART-F30A (30W)**

**PRICE 390,000 Baht**

**OPTIONAL ROTARY**  
**PRICE 250,000 Baht**

### SPECIFICATIONS

- Laser power : fiber 10W/ 20W/ 30W
- Working area : 100x100mm
- Laser wavelength : 1064nm
- Response time : 0.5ms
- Frequency of pulse : 20-100KHz
- Max.marking depth :  $\leq 0.4\text{mm}$
- Marking speed :  $\leq 7000\text{mm/s}$
- Marking lines : 1-10 lines (in the marking area)
- Minimum line width : 0.1mm
- Minimum character : 0.15mm
- Repeatability accuracy :  $\pm 0.002\text{mm}$
- Resolution ratio : 0.1mm
- Marking content : Text, pattern, date, bar code, etc
- Operation system : Microsoft Windows XP or Window 2000
- Control software : EZCAD control software or laer 2.1 marking control software



Example :



# เครื่องมาร์ก, แกะสลักตัวอักษร, ยิงอักษร, ยิงสัญลักษณ์ลงบนชิ้นงาน

## MODEL : ART-DI408A




### SPECIFICATIONS

- Dot marking machine
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- Without touch panel
- Size 140x80mm

**PRICE 80,000 Baht**

## MODEL : ART-DI408B




### SPECIFICATIONS

- Dot marking machine
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- With touch panel, USB interface
- Size 140x80mm

**PRICE 110,000 Baht**

## MODEL : ART-DI408SA



## DOT MARKING MACHINE

### SPECIFICATIONS

- Portable Dot marking machine
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- Without touch panel
- Size 140x80mm

**PRICE 75,000 Baht**

## MODEL : ART-DI408SB



### SPECIFICATIONS

- Portable Dot marking machine
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- Without touch panel, USB interface
- Size 140x80mm

**PRICE 95,000 Baht**

## MODEL : ART-D8020A



### SPECIFICATIONS

- Portable Dot marking machine, Marking bike
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- Without touch panel
- Size 20x80mm
- 600USD EXW

**PRICE 55,000 Baht**

## MODEL : ART-D8020B



### SPECIFICATIONS

- Portable Dot marking machine, Marking bike
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- With touch panel, USB interface
- Size 20x80mm

**PRICE 85,000 Baht**

## MODEL : ART-DI408T



### SPECIFICATIONS

- 3axis Dot marking machine, Marking bike
- Hiwia guidel rail
- Marking speed range : 5~120 words/min (adjustable)
- Marking depth range : 0.05~1.2mm (according to the materials)
- With rotary 3 axis, computer
- Size 140x80mm
- Rotary

**PRICE 125,000 Baht**

### Example :





## ITOKIN TECHNOLOGY CO., LTD

• [WWW.ITOKIN2000.COM](http://WWW.ITOKIN2000.COM) • [WWW.VIDEOBORESCOPETHAI.COM](http://WWW.VIDEOBORESCOPETHAI.COM) • [WWW.CNC-THAIMACHINE.COM](http://WWW.CNC-THAIMACHINE.COM) •



**082-1288881**  
**02-9744354-6**



-----[WWW.FACEBOOK.COM/ITOKINTECHNOLOGY](https://www.facebook.com/ITOKINTECHNOLOGY)



-----[WWW.ITOKIN2000.COM](http://WWW.ITOKIN2000.COM)



-----[ITOKINTECHNOLOGY](https://line.me/tv/ITOKINTECHNOLOGY)



3/18 SOI 33, VIBHAVADIRANGSIT, 1-6 SEPARATE, AIRPORT, DONMUANG, BANGKOK 10210 THAILAND

แผนที่บริษัท ไอโตคิน เทคโนโลยี จำกัด



MINI ROUTER ★  
CNC PLASSMA ★  
FIBER LASER CUTTING CNC ★  
PNEUMATIC DOT MARKING CNC ★  
FIBER LASER MARKING CNC ★  
MINI LASER CNC ★

**ITOKIN TECHNOLOGY CO., LTD**

• [WWW.ITOKIN2000.COM](http://WWW.ITOKIN2000.COM) • [WWW.VIDEOBORESCOPETHAI.COM](http://WWW.VIDEOBORESCOPETHAI.COM) • [WWW.CNC-THAIMACHINE.COM](http://WWW.CNC-THAIMACHINE.COM) •



**082-1288881**  
**02-9744354-6**



----- [WWW.FACEBOOK.COM/ITOKINTECHNOLOGY](https://www.facebook.com/ITOKINTECHNOLOGY)

----- [WWW.ITOKIN2000.COM](http://WWW.ITOKIN2000.COM)

----- ITOKINTECHNOLOGY



3/18 SOI 33, VIBHAVADIRANGSIT, 1-6 SEPARATE, AIRPORT, DONMUANG, BANGKOK 10210 THAILAND